FCC Technician License Course

2014-2018 FCC Element 2 Technician Class Question Pool



Presented by: Tamiami Amateur Radio Club (TARC)

WELCOME

- To the third of 4, 3-hour classes presented by TARC to prepare you for the FCC Technician Class Amateur Radio Service license test.
- Today we will cover Chapter 4 of the ARRL Ham Radio License Manual, 3rd Ed.
- Everything you need to know is in this manual

Meet Your Instructors



AndyDurette KB1HIP Extra Class



Paul Nienaber KN4BAR General Class

Click to add Text

Course Outline

VENICE, FLORIDA

- Welcome to amateur radio
- Radio and Signals Fundamentals
- Amateur Radio Equipment (HT & 2M, 70cm)
- Electricity, Components and Circuits
- Propagation, Antennas and Feedlines
- Communicating with other hams
- Amateur Radio Equipment (HF)
- Licensing regulations
- Operating regulations
- Safety
- Test preparation and review

Radio Wave Propagation

- How signals travel (propagation)
 Antenna Basics
- Feed Lines
- What is SWR?
- How to build a practical antenna

Getting from Point A to B

- Radio waves propagate by many mechanisms
- The science of wave propagation has many facets

VENICE, FLORIDA

- We will discuss 3 basic ways:
 - Line of sight (VHF and UHF)
 - Ground wave
 - Sky wave (HF)

Line of Sight

- If a source of radio energy can be seen by the receiver, then the radio energy will travel in a straight line from transmitter to receiver
- There is some attenuation of the signal as the radio wave travels
 This is the primary propagation mode for VHF and UHF signals

Ground Wave

- Some radio frequency ranges (lower HF frequencies) will hug the earth's surface as they travel
- These waves will travel beyond the range of lineof-sight up to a few hundred miles


VENICE, FLORIDA

The lonosphere

- Radiation from the sun momentarily will strip electrons away from the parent atom in the upper reaches of the atmosphere
- This creates ions of positive and negative charged (electrons) particles




 The region where ionization occurs is called the lonosphere (60 to 260 miles above earth's surface




Layers of Atmosphere

- D layer 30 to 60 miles above surface
- E layer 60 to 70 miles above surface
- F1 layer 70 to 140 miles above surface
- F2 layer 140 to 260 miles above surface



Sky Wave Propagation

- The ionized layers of the atmosphere actually act as an RF mirror that reflect certain frequencies back to earth
- Sky-wave propagation is responsible for most long-range, over the horizon communication
- Reflection depends on frequency and angle of incidence



MUF and LUF

- Lowest Usable Frequency (LUF)
- Maximum Usable Frequency (MUF)
- If too low => absorbed
- If too high => goes into space
- Just right => bounces back to earth miles and miles away

Sun Spot Cycles

- The level of ionization depends of the radiation intensity of the sun
- •Radiation from the sun is related to the number of sun spots on the sun's surface
- High number of sun spots, high ionizing radiation emitted from the sun
- Sun spot activity follows an 11-year cycle
- We are currently at or near the low point of the cycle!

- (T3A08)
- Which of the following is a likely cause of irregular fading of signals received by inonospheric refections?
- A Frequency shift due to Faraday rotation
- B Interference from thunderstorms
- C Random combining of signals arriving via different paths
- D Intermodulation distortion

- (T3A08)
- Which of the following is a likely cause of irregular fading of signals received by inonospheric refections?
- A Frequency shift due to Faraday rotation
- B Interference from thunderstorms
- C Random combining of signals arriving via different paths
- D Intermodulation distortion

- (T3A11)
- Which part of the atmosphere enables the propagation of radio signals around the world?

VENICE, FLORIDA

- A The stratosphere
- B The troposphere
- C The lonosphere
- D The magnetosphere

- (T3A11)
- Which part of the atmosphere enables the propagation of radio signals around the world?

VENICE, FLORIDA

- A The stratosphere
- B The troposphere
- C The lonosphere
- D The magnetosphere

- (T3A10)
- What is the radio horizon?
- A The distance over which two stations can communicate by direct path
- B The distance from the ground to a horizontally mounted antenna
- C The farthest point you can see when standing at the base of your antenna tower
- D The shortest distance between two points on the Earth's surface

- (T3A10)
- What is the radio horizon?
- A The distance over which two stations can communicate by direct path
- B The distance from the ground to a horizontally mounted antenna
- C The farthest point you can see when standing at the base of your antenna tower
- D The shortest distance between two points on the Earth's surface

How does the wavelength of a radio wave relate to its frequency?

A. The wavelength gets longer as its frequency increasesB. The wavelength gets shorter as the frequency increasesC. There is no relationship between wavelength and frequencyD. The wavelength depends on the bandwidth of the signal

How does the wavelength of a radio wave relate to its frequency?

A. The wavelength gets longer as its frequency increases **B. The wavelength gets shorter as the frequency increases**C. There is no relationship between wavelength and frequency
D. The wavelength depends on the bandwidth of the signal

What property of radio waves is often used to identify the different frequency bands?

A. The approximate wavelengthB. The magnet intensity of wavesC. The times it takes the waves to travel one mileD. The voltage standing wave ratio of waves

What property of radio waves is often used to identify the different frequency bands?

A. The approximate wavelengthB. The magnet intensity of wavesC. The times it takes the waves to travel one mileD. The voltage standing wave ratio of waves

- (T3C03)
- Which of the following might be happening when VHF signals are being received from long distance?
- A Signals are being reflected from outer space
- B Signals are arriving by sub-surface ducting
- C Signals are being reflected b lightning storms in your area
- D Signals are being refracted from a sporadic E layer

- (T3C03)
- Which of the following might be happening when VHF signals are being received from long distance?
- A Signals are being reflected from outer space
- B Signals are arriving by sub-surface ducting
- C Signals are being reflected b lightning storms in your area
- D Signals are being refracted from a sporadic E layer

- (T3C01)
- Why are direct (not via repeater) UHF signals rarely heard from stations outside your local coverage area?
- A They are too weak to go very far
- B FCC regulations prohibit them from going more than 50 miles
- C UHF signals are usually not reflected by the ionosphere
- D They collide with trees and shrubbery and fade out

- (T3C01)
- Why are direct (not via repeater) UHF signals rarely heard from stations outside your local coverage area?
- A They are too weak to go very far
- B FCC regulations prohibit them from going more than 50 miles
- C UHF signals are usually not reflected by the ionosphere
- D They collide with trees and shrubbery and fade out

The Antenna System

- Antenna: Facilitates the sending of your signal to some distant station
- Feed line: Connects your station to the antenna
- Test and matching equipment: Allows you to monitor antenna performance
- More than anything else, the antenna determines how well your radio station performs!

Antenna Vocabulary

- Driven element: where the transmitted energy enters the antenna
- Polarization: the direction of the electric field relative to the surface of the earth
 Same as the physical direction
 - Vertical Horizontal Circular

Antenna Vocabulary


- Omni-directional radiates in all directions
- Directional beam focuses radiation in specific directions
- Gain apparent increase in power in a particular direction because energy is focused in that direction

VENICE, FLORIDA

Mesaured in decibels (dB)

Antenna Radiation Patterns


- Radiation patterns are a way of visualizing antenna performance
- The further the line is away from the center of the graph, the stronger the signal at that point




ARRL0017

Scale for Signal Strength

Antenna Radiation Patterns





VERTICAL

HORIZONTAL

Impedance – AC Resistance

- A quick review of a previous concept: impedance
- Antennas have characteristics of capacitors, inductors, and resistors
- The combined response of these component parts to alternating currents (radio waves) is called Impedance

Antenna Impedace

- Antennas have a characteristic impedance
- Expressed in Ohms common value is 50 Ohms
- Depends on:
 - Antenna design
 - Height above the ground
 - Distance from surrounding obstacles
 - Frequency of operation
 - Other factors

- (T3B03)
- What are the two components of a radio wave?
 A. AC and DC
- B. Voltage and current
- C. Electric and magnetic fields
- D. Ionizing and non-ionizing radiation

- (T3B03)
- What are the two components of a radio wave?
 A. AC and DC
- B. Voltage and current
- C. Electric and magnetic fields
- D. Ionizing and non-ionizing radiation

- (T9A11)
- What is meant by the gain of an antenna?
- A. The additional power that is added to the transmitter power
- B. The additional power that is lost in the antenna when transmitting on higher frequency
- C. The increase in signal strength in a specified direction when compared to a reference antenna
- D. The increase in impedance on receive or transmit compared to a reference antenna

- (T9A11)
- What is meant by the gain of an antenna?
- A. The additional power that is added to the transmitter power
- B. The additional power that is lost in the antenna when transmitting on higher frequency
- C. The increase in signal strength in a specified direction when compared to a reference antenna
- D. The increase in impedance on receive or transmit compared to a reference antenna


Feed Line Types

- The purpose of the feed line is to get energy from your station to the antenna
- Basic feed line types
 - Coax cable
 - Open-wire or ladder line
 - Hardline
- Each has a characteristic impedance, each has its unique application

VENICE, FLORIDA

Coaxial Cable (Coax)

- Most common feed line
- Easy to use
- Matches impedance of modern
 - radio equipment (50 Ohms)
- Some loss of signal depending on type of coax cable used



Types of Coax and Connectors

Coax

- RG-58
- RG-8
- RG-213
- RG-174
- Hardline


Connectors

- SO-239/PL259
- BNC
- N • SMA



Open-wire / Ladder Line

- Used in special applications
 Need an antenna tuner to make impedance match but allows a lot of flexibility
- Theoretically a very low loss



(T7C12) Which of the following is a common use of coaxial cable?

A. Carrying dc power from a vehicle battery to a mobile radio
B. Carrying RF signals between a radio and antenna
C. Securing masts, tubing, and other cylindrical objects
D. Connecting data signals from a TNC to a computer.

(T7C12) Which of the following is a common use of coaxial cable?

A. Carrying dc power from a vehicle battery to a mobile radio
B. Carrying RF signals between a radio and antenna
C. Securing masts, tubing, and other cylindrical objects
D. Connecting data signals from a TNC to a computer.

(T7C09) Which of the following is the most common cause for failure of coaxial cable?

VENICE, FLORIDA

A. Moisture contamination
B. Gama rays
C. The velocity factor exceeds 1.0
D. Overloading

(T7C09) Which of the following is the most common cause for failure of coaxial cable?

VENICE, FLORIDA

A. Moisture contamination
B. Gama rays
C. The velocity factor exceeds 1.0
D. Overloading

Feed Line & Antenna Matching

- For efficient transfer of energy from the transmitter to the feed line and from the feed line to the antenna, the impedances need to match
- When there is mismatch of impedances, things may still work, but not as effectively as they could
- If the antenna and feed line impedances are not perfectly matched, some RF energy is not radiated into space and is returned (reflected) back to the source

Test and Matching Equipment

 Proper impedance matching is important enough to deserve some simple test equipment as you develop your station repertoire


Basic Test Equipment: SWR meter
Matching Equipment: Antenna Tuner


Standing Wave Ratio (SWR)

- Reflected energy must go somewhere
- Usually it is converted into heat
- Sometimes it just floats around looking for somewhere to go
- If the energy is not going out the antenna, it is wasted and may cause damage to the transmitter

SWR Meter

- The SWR meter is inserted in the feed line and indicates the reflected energy
- Measures the mismatch between feed line impedance and antenna impedance as SWR
- You make adjustments to the antenna to minimize the reflected energy (minimum SWR)





Nothing is Perfect


- Although the goal is to get 100% of your radio energy radiated into space, that is virtually impossible
- What is an acceptable level of loss (reflected power or SWR?)
 - 1:1 is perfect
 - 2:1 should be the max you should accept (as a general rule)
- Modern radios will start lowering power automatically when SWR is above 2:1
- 3:1 is when you need to do something to reduce SWR

Antenna Tuner

- One way to make antenna matching adjustments is to use an antenna tuner
- Antenna tuners are impedance transformers (they actually do not tune the antenna)
- When used appropriately they are effective
- When used inappropriately they just make a bad antenna look good to the transmitter...a bad antenna is still bad

Using the Tuner

 Monitor the SWR meter Make adjustments on the tuner until the minimum SWR is achieved The impedance of the antenna is transformed to more closely match the impedance of the transmitter





(T7C05)

What is the approximate SWR value above which the protection circuits in most solid-state transmitters begin to reduce transmitter power?

VENICE, FLORIDA

A. 2 to 1 B. 1 to 2 C. 6 to 1 D. 10 to 1

(T7C05)

What is the approximate SWR value above which the protection circuits in most solid-state transmitters begin to reduce transmitter power?

VENICE, FLORIDA

A. 2 to 1 B. 1 to 2 C. 6 to 1 D. 10 to 1

(T9B01) Why is it important to have a low SWR in an antenna system that uses coaxial cable feed line?

VENICE, FLORIDA

A. To reduce television interference
B. To allow th efficient transfer of power and reduce losses
C. To prolong antenna life
D. All of these choices are correct

(T9B01) Why is it important to have a low SWR in an antenna system that uses coaxial cable feed line?

VENICE, FLORIDA

A. To reduce television interference
B. To allow the efficient transfer of power and reduce losses
C. To prolong antenna life
D. All of these choices are correct

VENICE, FLORIDA

(T9B11) Which of the following types of feed line has the lowest loss at VHF and UHF?

A. 50-ohm flexible coax
B. Multi-conductor unbalanced cable
C. Air-insulated hard line
D. 75-ohm flexible coax

VENICE, FLORIDA

(T9B11) Which of the following types of feed line has the lowest loss at VHF and UHF?

A. 50-ohm flexible coax
B. Multi-conductor unbalanced cable
C. Air-insulated hard line
D. 75-ohm flexible coax

Practical Antenna Systems

VENICE, FLORIDA

Dipoles, Ground-Planes, and Directionals

How Long Should Antenna Be ?

- When working with antennas, it is important to know how long ?
- Antenna length is based on the wavelength that we want to use
- There is a relationship between frequency and wavelength
- Antennas can be full or fractional wavelengths long

Symbol and Formula


- λ = Wavelength
- ½ Wave antenna length in Feet is 468 divided by the Frequency in MHz
- ¼ Wavelength is 234 divided by the Frequency in MHz

The Dipole Antenna

- A basic antenna
 - Two conductive, equal length parts
 - Feed line connected in the middle
 - Total length is $\frac{1}{2}$ wavelength (1/2 λ)

Dipole Length (in feet) = 468 / Frequency (in MHz)

The Dipole Antenna



The Ground-Plane Antenna

- Simply a dipole that is oriented perpendicular (vertical to the earth's surface)
- One half of the dipole is replaced by the groundplane
 - Earth
 - Car roof or trunk lid or other metal surface
 - Radial wires on or under the ground

Ground-Plane Antenna

Length (in feet) = 234 / Frequency (in MHz)

¹/₂ Wavelength – Dipole but Ground-Plane is ¹/₂ that

¹/₄ Wavelength – Ground plane above ground





Directional Antennas

- Beam antennas focus or direct RF energy in a desired direction
- Gain An apparent increase in power in the desired direction (both transmit and receive)
- Yagi (rod like elements TV antennas)
- Quad (square wire loop elements)
- Dish antennas used at frequencies above 1 GHz

(T9A09) What is the approximate length, in inches, of a 6 meter 1/2-wavelength wire dipole antenna ?

VENICE, FLORIDA

A. 6 B. 50 C. 112 D. 236

(T9A09) What is the approximate length, in inches, of a 6 meter 1/2-wavelength wire dipole antenna ?

A. 6 B. 50 C. 112 (6m = 50MHz so, 468/50 = 9.36 ft = 112.3 in) D. 236

(T9A10)

In which direction is the radiation strongest from a half-wave dipole antenna in free space?

A. Equally in all directions
B. Off the ends of the antenna
C. Broadside to the antenna
D. In the direction of the feed line

(T9A10)

In which direction is the radiation strongest from a half-wave dipole antenna in free space?

A. Equally in all directions
B. Off the ends of the antenna
C. Broadside to the antenna
D. In the direction of the feed line

(T9A06)

What type of antennas are the quad, Yagi, and dish?

VENICE, FLORIDA

A. Non-resonant antennas
B. Loop antennas
C. Directional antennas
D. Isotropic antennas

(T9A06)

What type of antennas are the quad, Yagi, and dish?

VENICE, FLORIDA

A. Non-resonant antennas
B. Loop antennas
C. Directional antennas
D. Isotropic antennas

How would you change a dipole antenna to make it resonant on a higher frequency?

A. Lengthen it

- B. Insert coils in series with radiating wiresC. Shorten it
- D. Add capacity hats to the ends of the radiating wires

How would you change a dipole antenna to make it resonant on a higher frequency?

A. Lengthen it

B. Insert coils in series with radiating wiresC. Shorten it

D. Add capacity hats to the ends of the radiating wires

Which of the following describes a simple dipole mounted so the conductor is parallel to the Earth's surface?

A. A ground wave antenna
B. A horizontally polarized antenna
C. A rhombic antenna
D. A vertically polarized antenna

Which of the following describes a simple dipole mounted so the conductor is parallel to the Earth's surface?

A. A ground wave antenna
B. A horizontally polarized antenna
C. A rhombic antenna
D. A vertically polarized antenna

End of Introduction

QUESTIONS ?

VENICE, FLORIDA.